

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1274	calibrat\$5 with scann\$5 with method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:35
L3	1393	calibrat\$5 with (copier or copy\$5 or scann\$5 or (imag\$5 near3 reader)) with method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:36
L4	8	3 and (difference with calibrat\$5 with (threshold\$5 or toleran\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:41
L5	186	1 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:42
L8	44	5 and ((partial\$5 or initial\$5) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:43
L9	7	8 and (full\$5 near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:10
L10	1	9 and (prnu and (dark near3 current\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:10
L11	2	3 and (prnu and (dark near3 current\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:11
L12	8	(prnu and (dark near3 current\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:12
L13	12	((prnu or (photo-response near3 non-uniform\$5) or (photo near3 response near3 non-uniform\$5)) and (dark near3 current\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:14

L14	3	13 and (scan\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:25
L15	19	((prnu or (photo-response near3 non-uniform\$5) or (photo near3 response near3 non-uniform\$5)) and (dark near3 (noise or current\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:14
L16	6	15 and (scan\$5 with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:25